

## Metal Devil GUT-OFF WHEELS



## **HIGH DIAMOND EXPOSURE**

Our vacuum brazed technology allows the diamond particles to adhere to the surface of the steel core, allowing heat to dissipate fast, resulting in long life and faster metal cutting.

FEATURES	BENEFITS		
SOLID STEEL BODY	Maintains wheel diameter throughout its life.		
	Greatly reduces the danger of breakage.		
VACUUM BRAZED TECHNOLOGY	Permanently bonds diamond crystals to the wheel.		
	Providing long blade life.		
	Lasts up to 60 times longer than traditional abrasive wheels.		
THIN KERF DESIGN	Cuts faster.		
	Less dust and debris than traditional abrasive wheels.		

<b>4-1/2</b> " 114mm 13,000 RPM	
<b>6</b> " 152mm 10,185 RPM	
<b>7</b> " 178mm 8,730 RPM	
<b>12</b> " 305mm 6,115 RPM	200
<b>14</b> " 356mm 5,500 RPM	200







**TUBING/STRUCTURAL** 



**STAINLESS** 



**NON-FERROUS** 












**SOLIDS** 

**STEEL** 

**REBAR** 



THE M. K. MORSE COMPANY



## METAL DEVIL®

**CUT-OFF WHEELS** 

USING AN INNOVATIVE NEW PROCESS, DIAMOND CRYSTAL IS PERMANENTLY BRAZED TO THE BLADE AND REMAINS FIXED FOR CONTINUOUS CUTTING THROUGHOUT THE LIFE OF THE WHEEL.





BLADE DIA.	THICKNESS	PART NO.	COMPUTER NO.	ARBOR HOLE	MAX RPM
hnnn		mm	mm	mmm	mm
<b>4.5</b> " (114mm)	.050	CSD4500C	102001	7/8″ - 5/8″	13,000
<b>6</b> " (152mm)	.050	CSD600C	102018	7/8″ - 5/8″	10,185
<b>7</b> " (178mm)	.060	CSD700C	102025	7/8″ - 5/8″ KO	8,730
<b>12</b> " (305mm)	.125	CSD1200C	102032	1″ - 20mm	6,115
<b>14</b> " (356mm)	.125	CSD1400C	102049	1" - 20mm	5,500

(1) BLADE PER PACKAGE





## **METAL DEVIL® vs ABRASIVE BLADES:**

METAL DEVIL CUTS UP TO 2X FASTER
METAL DEVIL LASTS UP TO 60X LONGER
METAL DEVIL MAINTAINS ITS CUTTING DEPTH.







PHONE: (330) 453-8187 HOTLINE: (800) 733-3377 FAX: (330) 453-1111 FAX HOTLINE: (800) 729-1112

EMAIL: mkmorse@mkmorse.com

WEBSITES mkmorse.com

bladewizard.com

MAILING ADDRESS
P. O. BOX 8677

Canton, Ohio 44711 USA

SHIPPING ADDRESS 1101 – 11th Street, S.E. Canton, Ohio 44707 USA

© 2017 The M. K. Morse Company CATALOGMDDE 10/17